

Work Order ID **150259*****150259***

Page 1

Wednesday, August 24, 2016 11:33:24 AM

Item ID: D3500-1

Accept

N900040100

Setup Start

NS1

Revision ID:

Stop

NS2

Item Name: Saddle

Start Date: 8/16/2016 Start Qty: 16.00

16

Cust Item ID:

Required Date: 8/24/2016 Req'd Qty: 16.00

16

Customer:

Reference:

DAS

21

9-89

AUG 26 2016

Approvals:

Process Plan:

Date:

Tooling:

Date:

Run Start

NR1

QC:

Date:

SPC (Y/N):

Date:

Stop

NR2

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
D3500	C								

100

0.03

100

HAAS CNC VERTICAL MACHINING #1

HAAS I

Memo

0.56

HAAS CNC vertical machine #1

Program Batch No. B150259 Double check by: mf 1-Machine Step No 1
per Folio FA641 and inspect per attached Dimension Sheets2-Machine Step
No 2 per Folio FA641and inspect per attached Dimension Sheets3-Machine
Step No 3 per Folio FA641 and inspect p

110

0.00

110

QC

Quality Control

QC1- Inspection performed by CMM

Memo

0.03

Inspect on CMM as per folio CMMA031.
DWG REV: _____
CMM PROG. REV: _____

120

0.00

120

QC

Quality Control

QC8- Inspect parts - second check

Memo

0.05

DAS

14

9-39

DAS

14

9-39

DAS

45

9-89

2060919

DQA: _____ Date: _____

WORK ORDER NON-CONFORMANCE / UPDATE



QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective : 240 15 08-2				MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Description Work Order Deviation				Disposition 08-2					

Root Cause				FAULT CATEGORY																																																											
Environment ☐	Design ☐	Doc/Data ☐	Equip/Tooling ☐	Handling/Pre ☐	Material ☐	Internal Transport ☐	Tribal Knowledge ☐	LOA ☐	Substation ☐	Past Expiry Date ☐	Misidentified ☐	No Re-verification ☐	Operator ☐	Offset/Setup ☐	Supplier ☐	Training ☐	Use for Testing ☐	Poor Information ☐	Rushing ☐	Product Improvement ☐	Process Improvement ☐	Manufacturing Process ☐	Past Due ☐	Pressure/Forced ☐	Bending ☐	Centre Not Concentric ☐	Cracks ☐	Crimp/Kink/Ripple/Wave ☐	Cuffs ☐	Crushing ☐	Heat Treat ☐	Wave/Twist in Tube ☐	Marks/Chatter ☐	Temperature/Cure ☐	Set-up ☐	BOM/Route ☐	Broken/Damage/Defect ☐	Inspection Incomplete/Unqualified ☐	Contamination ☐	Countersink ☐	Cut Too Short ☐	Instructions Incomplete/Unclear ☐	Drill Holes ☐	Power Loss/Surge ☐	Folio/Program ☐	Grain ☐	Weld ☐	Wrong Stock Pulled ☐	Out of Sequence ☐	Off-set ☐	Mislabeled ☐	Fit/Function ☐	Misaligned/off center ☐	Positioned Wrong ☐	Outside Dimensions ☐	Over/Under tolerance ☐	Part Incorrect ☐	Part Lost/Missing ☐	Part Moved ☐	Drawing ☐	Finish ☐	Misread ☐	Turning Sequence ☐
OTHER : _____																																																															

Work Order ID 150259

Wednesday, August 24, 2016 11:33:24 AM

150259

Page 2

Item ID: D3500-1 Accept ***N900040100*** Setup Start ***NS1***
 Revision ID: Stop ***NS2***
 Item Name: Saddle
 Start Date: 8/16/2016 Start Qty: 16.00 ***16*** Cust Item ID:
 Required Date: 8/24/2016 Req'd Qty: 16.00 ***16*** Customer:
 Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
130	Chemical Conversion Coat per QSI005 4.1	0.00							
130	HandFinish	0.08							
Hand Finishing	Memo								
140	White Gloss(Ref:4.3.5.1) per QSI005 4.3-Alum	0.00							
140	Powdercoat	0.08							
Powder Coating	Memo								
	START TIME: <u>2:15</u> OVEN TEMPERATURE: <u>2.45</u>								
	FINISH TIME: <u>2.45</u>								
150	QC3- Inspect Part Finish	0.00							
150	QC	0.03							
Quality Control	Memo								

416 2016/09/19 BIE

16 16 09-19 23 34 9-89

16 SEP 20 2016 DAS 38 9-89

DQA: _____ Date: _____

WORK ORDER NON-CONFORMANCE / UPDATE



QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date :	Step #:	QTY Effective :		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : ☐					

Work Order ID 150259

Wednesday, August 24, 2016 11:33:24 AM

150259

Page 3

Item ID: D3500-1**Accept*****N900040100*****Setup Start*****NS1*****Revision ID:****Stop*****NS2*****Item Name:** Saddle**Start Date:** 8/16/2016 **Start Qty:** 16.00***16*****Cust Item ID:****Required Date:** 8/24/2016 **Req'd Qty:** 16.00***16*****Customer:****Reference:****Approvals:****Process Plan:** _____**Date:** _____**Tooling:** _____**Date:** _____**Run Start*****NR1*****QC:** _____**Date:** _____**SPC (Y/N):** _____**Date:** _____**Stop*****NR2*****Sequence ID/
Work Center ID****Operation
Description****Set Up/
Run Hours****Tool ID****Tool #****Plan
Code****Accept
Qty****Reject
Qty****Reject
Number****Insp.
Stamp**

160

Identify as per dwg & Stock Location: SK406

0.00

160

Packaging

Memo

0.03

Packaging

16
DAS
21
9-89
SEP 23 2016

170

QC21- Final Inspection - Work Order Release

0.00

170

QC

Memo

0.27

Quality Control

DAS
21
9-89
SEP 23 2016

DQA: _____ Date: _____

WORK ORDER NON-CONFORMANCE / UPDATE



QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date :	Step #:	QTY Effective :		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition			
				Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : _____					

Picklist Print

Wednesday, August 24, 2016 11:33:23 AM

Page 1

Work Order ID: 150259

150259

Parent Item: D3500-1

D3500-1

Parent Item Name: Saddle

Start Date: 8/16/2016

Required Date: 8/24/2016

Start Qty: 16.00

Required Qty: 16.00

Comments: IPP Rev:A New Issue 06-06-15 JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D6102-013		Manufactured	No			100	Each	29.0000	1	16			
D6102-013									**				
Saddle Billet													

Handwritten: 16/09/16

Location

Loc Qty

Loc Code

MAT046

29

→ 144498

9

→ 147083

20

9.0

7.0

DQA: _____ Date: _____

WORK ORDER NON-CONFORMANCE / UPDATE



QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐		OTHER : _____					

DART AEROSPACE LTD				Work Order: 150259	
Description: Saddle				Part Number: D3500-1	
Inspection Dwg: D3500 Rev: C DSK: Rev:				Page 1 of 1	

FIRST ARTICLE INSPECTION DIMENSION SHEET

Dim	Min	Max	Go/No Go Gauge	Record Actual Dimensions				
				1	2	3	4	5
A	0.483	0.490		.487	.487	.487	.487	.487
B	1.175	1.185		1.180	1.180	1.180	1.180	1.180
C	3.145	3.155		3.150	3.150	3.150	3.150	3.150
D	1.175	1.185		1.180	1.180	1.180	1.180	1.180
E	0.365	0.385		.373	.373	.373	.373	.373
F	0.490	0.510		.500	.500	.500	.500	.500
H	R0.515	R0.535		.525	.525	.525	.525	.525
(Note: Dimension I is 0.015" over flange)								
I	R1.575	R1.595		1.585	1.585	1.585	1.585	1.585
J	0.240	0.260		.250	.250	.250	.250	.250
K	0.490	0.510		.500	.500	.500	.500	.500
L	3.590	3.650		3.620	3.620	3.620	3.620	3.620
M	0.315	0.322		.316	.316	.316	.316	.316
N	0.256	0.262		.258	.258	.258	.258	.258
O	6.500	6.520		6.510	6.510	6.510	6.510	6.510
P	5.990	6.010		6.000	6.000	6.000	6.000	6.000
Q	2.820	2.830		2.825	2.825	2.825	2.825	2.825
R	2.495	2.505		2.500	2.500	2.500	2.500	2.500
S	2.245	2.255		2.250	2.250	2.250	2.250	2.250
T	1.120	1.130		1.125	1.125	1.125	1.125	1.125
U	0.540	0.560		.550	.550	.550	.550	.550
V	0.793	0.803		.798	.798	.798	.798	.798
W	R.240	R.260		.250	.250	.250	.250	.250
X	0.040	0.060		.050	.050	.050	.050	.050
Y	0.100	0.120		.105	.105	.110	.110	.110
AA	R1.125	R1.145		1.135	1.135	1.135	1.131	1.133
AB	R.490	R.510		.500	.500	.500	.500	.500
AC	0.615	0.635		.625	.625	.625	.625	.625
AD	0.240	0.260		.249	.250	.253	.254	.253
AE	1.810	1.830		1.820	1.820	1.820	1.821	1.822
AF	0.240	0.260		.250	.250	.250	.250	.251
AG	0.140	0.160		.151	.151	.151	.151	.152
AH	0.140	0.160		.154	.154	.153	.153	.159
AI	0.140	0.160		.150	.150	.150	.148	.150
Accept/Reject								

Measured by: <i>CPA 45</i>	Date: 16/09/17
Audited by: 9-89	Date: 20/10/19
Preliminary Approval:	Date:

Rev	Date	Change	Revised by	Approved
A	06.09.26	New Issue	KJ/EC	
B	08.10.07	Dimension H removed	KJ/DD	
C	08.11.28	Dimension 'M' revised	KJ/EC	
D	11.01.17	Note added to Dim I	KJ	
E	15.02.26	Dimension H added	KJ	

DART AEROSPACE LTD				Work Order: 150259	
Description: Saddle				Part Number: D3500-1	
Inspection Dwg: D3500 Rev: C DSK: Rev:				Page 1 of 1	

FIRST ARTICLE INSPECTION DIMENSION SHEET

				Record Actual Dimensions				
Dim	Min	Max	Go/No Go Gauge	16	17	18	19	110
A	0.483	0.490		.487	.487	.487	.487	.487
B	1.175	1.185		1.180	1.180	1.180	1.180	1.180
C	3.145	3.155		3.150	3.150	3.150	3.150	3.150
D	1.175	1.185		1.180	1.180	1.180	1.180	1.180
E	0.365	0.385		.375	.375	.375	.375	.375
F	0.490	0.510		.500	.500	.500	.500	.500
H	R0.515	R0.535		.525	.525	.525	.525	.525
(Note: Dimension I is 0.015" over flange)								
I	R1.575	R1.595		1.585	1.585	1.585	1.585	1.585
J	0.240	0.260		.250	.250	.254	.249	.249
K	0.490	0.510		.500	.500	.500	.500	.500
L	3.590	3.650		3.620	3.620	3.620	3.620	3.620
M	0.315	0.322		.316	.316	.316	.316	.316
N	0.256	0.262		.258	.258	.258	.258	.258
O	6.500	6.520		6.510	6.510	6.510	6.510	6.510
P	5.990	6.010		6.000	6.000	6.000	6.000	6.000
Q	2.820	2.830		2.825	2.825	2.825	2.825	2.825
R	2.495	2.505		2.500	2.500	2.500	2.500	2.500
S	2.245	2.255		2.250	2.250	2.250	2.250	2.250
T	1.120	1.130		1.125	1.125	1.125	1.125	1.125
U	0.540	0.560		.550	.550	.550	.550	.550
V	0.793	0.803		.798	.798	.798	.798	.798
W	R.240	R.260		.250	.250	.250	.250	.250
X	0.040	0.060		.050	.050	.050	.050	.050
Y	0.100	0.120		.105	.110	.106	.110	.110
AA	R1.125	R1.145		1.135	1.135	1.132	1.132	1.132
AB	R.490	R.510		.500	.500	.500	.500	.500
AC	0.615	0.635		.625	.625	.625	.625	.625
AD	0.240	0.260		.254	.254	.254	.254	.254
AE	1.810	1.830		1.822	1.822	1.822	1.821	1.822
AF	0.240	0.260		.250	.250	.251	.250	.250
AG	0.140	0.160		.151	.151	.151	.151	.151
AH	0.140	0.160		.153	.153	.152	.152	.152
AI	0.140	0.160		.148	.148	.148	.149	.149
Accept/Reject								

Measured by: <i>PAK</i>	Date: 16/09/17
Audited by: 45	Date: 2016-09-19
Preliminary Approval: 9-89	Date:

Rev	Date	Change	Revised by	Approved
A	06.09.26	New Issue	KJ/EC	
B	08.10.07	Dimension H removed	KJ/DD	
C	08.11.28	Dimension 'M' revised	KJ/EC	
D	11.01.17	Note added to Dim I	KJ	
E	15.02.26	Dimension H added	KJ	<i>[Signature]</i>

DART AEROSPACE LTD				Work Order: 150259	
Description: Saddle				Part Number: D3500-1	
Inspection Dwg: D3500 Rev: C DSK: Rev:				Page 1 of 1	

FIRST ARTICLE INSPECTION DIMENSION SHEET

Dim	Min	Max	Go/No Go Gauge	Record Actual Dimensions				
				11	12	13	14	15
A	0.483	0.490		.487	.487	.487	.487	.487
B	1.175	1.185		1.180	1.180	1.180	1.180	1.180
C	3.145	3.155		3.150	3.150	3.150	3.150	3.150
D	1.175	1.185		1.180	1.180	1.180	1.180	1.180
E	0.365	0.385		.375	.375	.375	.375	.375
F	0.490	0.510		.500	.500	.500	.500	.500
H	R0.515	R0.535		.525	.525	.525	.525	.525
(Note: Dimension I is 0.015" over flange)								
I	R1.575	R1.595		1.585	1.585	1.585	1.585	1.585
J	0.240	0.260		.249	.250	.250	.250	.250
K	0.490	0.510		.500	.500	.500	.500	.500
L	3.590	3.650		3.620	3.620	3.620	3.620	3.620
M	0.315	0.322		.316	.316	.316	.316	.316
N	0.256	0.262		.258	.258	.258	.258	.258
O	6.500	6.520		6.510	6.510	6.510	6.510	6.510
P	5.990	6.010		6.000	6.000	6.000	6.000	6.000
Q	2.820	2.830		2.825	2.825	2.825	2.825	2.825
R	2.495	2.505		2.500	2.500	2.500	2.500	2.500
S	2.245	2.255		2.250	2.250	2.250	2.250	2.250
T	1.120	1.130		1.125	1.125	1.125	1.125	1.125
U	0.540	0.560		.550	.550	.550	.550	.550
V	0.793	0.803		.798	.798	.798	.798	.798
W	R.240	R.260		.250	.250	.250	.250	.250
X	0.040	0.060		.050	.050	.050	.050	.050
Y	0.100	0.120		.110	.110	.110	.110	.110
AA	R1.125	R1.145		1.132	1.132	1.132	1.133	1.133
AB	R.490	R.510		.500	.500	.500	.500	.500
AC	0.615	0.635		.625	.625	.625	.625	.625
AD	0.240	0.260		.254	.254	.254	.254	.254
AE	1.810	1.830		1.822	1.821	1.821	1.822	1.822
AF	0.240	0.260		.251	.250	.251	.250	.251
AG	0.140	0.160		.151	.151	.151	.151	.152
AH	0.140	0.160		.155	.153	.154	.155	.154
AI	0.140	0.160		.150	.150	.150	.150	.149

Accept/Reject

Measured by: CMK DAS	Date: 16/09/17
Audited by: 45	Date: 2016-09-19
Preliminary Approval: 9-89	Date:

Rev	Date	Change	Revised by	Approved
A	06.09.26	New Issue	KJ/EC	
B	08.10.07	Dimension H removed	KJ/DD	
C	08.11.28	Dimension 'M' revised	KJ/EC	
D	11.01.17	Note added to Dim I	KJ	
E	15.02.26	Dimension H added	KJ	

DART AEROSPACE LTD				Work Order:	150259
Description: Saddle				Part Number:	D3500-1
Inspection Dwg: D3500 Rev: C DSK: Rev:				Page 1 of 1	

FIRST ARTICLE INSPECTION DIMENSION SHEET

Dim	Min	Max	Go/No Go Gauge	Record Actual Dimensions				
				16	2	3	4	5
A	0.483	0.490		.487				
B	1.175	1.185		1.180				
C	3.145	3.155		3.150				
D	1.175	1.185		1.180				
E	0.365	0.385		.375				
F	0.490	0.510		.500				
H	R0.515	R0.535		.525				
(Note: Dimension I is 0.015" over flange)								
I	R1.575	R1.595		1.585				
J	0.240	0.260		.250				
K	0.490	0.510		.500				
L	3.590	3.650		3.620				
M	0.315	0.322		.316				
N	0.256	0.262		.258				
O	6.500	6.520		6.510				
P	5.990	6.010		6.000				
Q	2.820	2.830		2.825				
R	2.495	2.505		2.500				
S	2.245	2.255		2.250				
T	1.120	1.130		1.125				
U	0.540	0.560		.550				
V	0.793	0.803		.798				
W	R.240	R.260		.250				
X	0.040	0.060		.050				
Y	0.100	0.120		.110				
AA	R1.125	R1.145		1.133				
AB	R.490	R.510		.500				
AC	0.615	0.635		.625				
AD	0.240	0.260		.254				
AE	1.810	1.830		1.821				
AF	0.240	0.260		.250				
AG	0.140	0.160		.152				
AH	0.140	0.160		.155				
AI	0.140	0.160		.150				
Accept/Reject								

Measured by:	gmk DAS	Date:	16/09/18
Audited by:	45	Date:	2016-09-19
Preliminary Approval:	9-89	Date:	

Rev	Date	Change	Revised by	Approved
A	06.09.26	New Issue	KJ/EC	
B	08.10.07	Dimension H removed	KJ/DD	
C	08.11.28	Dimension 'M' revised	KJ/EC	
D	11.01.17	Note added to Dim I	KJ	
E	15.02.26	Dimension H added	KJ	

